# SIDNEY FLAVEL & Co.,

LEAMINGTON,

INVENTORS AND SOLE MANUFACTURERS OF

Prize Medal,

Which gained the only Prize Medal, with special Awarded to Sidney Flavel approbation, awarded to Cooking Grates at the Great
Exhibition of 1851. Class 22, Section 38.



Great Exhibition, 1851.

Prize Medal of the Great



International Exhibition, 1862,

### EXTRACT FROM THE JURIES' REPORT.

" They would say that the Kitchen Range of SIDNEY FLAVEL, of Learnington, Warwickshire, for appearance of Workmanship, Economy of Fuel, and its combination of the Stove and open Fire, is deserving of Special Notice.

## INTERNATIONAL EXHIBITION, 1862.

"JURIES' AWARD, CLASS 31, SECTION A 6,065. With Special Approbation.
The Prize Medal for Excellent Work and IMPROVEMENTS in Kitcheners." All of which have received Her Awarded to Sidney Flavel . Majesty's Royal Letters Patent, An award no other Kitchener Manufacturer was distinguished with.

Drawings, with Specifications and Prices, of all the varied arrangements of Flavel's Patented Prize Kitcheners suitable for large or small establishments, can be obtained direct from the Works, or through

# ANY RESPECTABLE IRONMONGER IN THE UNITED KINGDOM.

ORDERS FOR ABROAD DAREFULLY PACKED FOR EXPORT.




and Co., for



Improvements in Kitcheners

C COUPER COLLTH CORCE YARS BIRMS






3--- 49-1-

#### METHOD OF FIXING THE EXCELSIOR OPEN FIRE RANGE.

ENTERED AT STATIONERS' HALL.



#### PRICES

Of the Excelsior Open Fire Range, with Bright Latch and Bands to Oven Door, Ground and Blacked Hobs, and Grid over fire, all with Bright Edges, and the whole well Rubbed and Blacked, complete with Skirting, Brass Tap to Boiler, and Dust Preventer, as

Sizes.						997		~		4		
		Oven.	Fire. Boiler.		Price as drawn. £ s. d.			5	With Back and Side Coves. £ s. d.			
3	ft. o in.	13	8	10	3	7	0		4	3	0	
3	ft. 2 in.	13	10	10	3	OI	0		4	6	0	
3	ft. 4 in.	14	. 17	10	3	13	6		4	9	6	
3	ft. 6 in.	14	II	12	- 3	16	6		4	14	6	
3	ft. 9 in.	15	12	13	4	3	6		5	3	6	
4	ft. o in.	16	13	15	4	12	0		5	12	0	
4	ft. 3 in.	17	14	15	5	5	0		6	0	0	
4	ft. 6 in.	18	14	15	5	13	0		6	8	0	
4	ft. 9 in.	19	15	16	6	3	0		6	18	0	
5	ft. o in.	19	16	17	6	13	0		7	8	0	

Cast Blower (to draw out) fitted to above Range, 3 ft. to 4 ft., 6/extra; 4 ft. 3 in. to 5 ft., 7/6 extra.

Sheet Iron Smoke Hoods, with Bright Bead, 3/9 to 4/6 extra. Wrought Iron Ovens in place of Cast, up to 4 ft., 8/- extra. Special Ouotations for Wrought Ovens to Ranges above 4 ft. wide.


#### THE EXCELSIOR OPEN FIRE RANGE.


. From the Section of Oven Fig. 2, and diagram Fig. 3, on opposite page, it will be seen the heat circulates all round the Oven, but not up the back. To ensure the efficient working of the Range, special attention is directed to the Method of Fixing.

Let the flue plates A A form a continuation of bottom grate Fig. 1, resting on the arm of back legs B B, and secure the whole by the V lugs to back of Range fronts, build up the brick work under Oven and Boiler solid to the height under flue plates, build also solid at back of Oven (there is no flue there) to within 3 inches of oven top, let the space form a chamber E at bottom of Oven main flue. The side flue next the fire is formed by a strong cast plate with division, the heat for the top of Oven entering as indicated by coloured lines. Carry brick work across top of Oven, as shewn C C, to guide the heat to corner of Oven farthest from the fire, form the outer side flue D as shewn 2½ inches wide, the heat from bottom of fire passes this way, and joins the top current as they enter the Oven main flue E F F. This flue should be 6 inches square, and carried up 3 feet above the soot door before entering the chimney. The flue for Boiler is carried underneath and up the back of it in the usual way.

1. what

Brick 2






Jas Sipe -



# SIDNEY FLAVEL& COMPY


NVENTORS AND SOLE MANUFACTURERS OF







SPECIAL APPROBATION







MPROVEMENTS: IN: KITCHENERS

AWARDS THAT NO OTHER KITCHENER MANUFACTURER WAS DISTINGUISHED WITH.

EAGLE FOUNDRY & LEAMINGTON.






This improved Kitchen Range consists of an open fire, wrought-iron Bars with bright ends, double fall Bar, Winding Check, and fall-down Trivet on joint, by means of which a flush surface over the fire and boiler hob is secured; strong cast-iron L Boiler, with locse protecting fire back, brass draw-off Cock, atrong cast iron Oven, with hollow top and bottom, fitted with bright registered mountings, ventilator, steam-pipe, and all necessary dampers complete. Made 4 feet wide and upwards.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Plans, prices, estimates for Baths, and Hot Water Circulations, with testimonials of the superior utility and economy of Flavel Kitcheners, may be obtained at Messrs. Flavel & Co.'s. Works, Leamington, Warwickshire.







This improved Kitchen Range consists of an open fire, wrought-iron Bars with bright ends, double fall Bar, Winding Cheek, and fall-down Times to joint, by means of which a flush surface over the whole Range is secured; wrought iron Oven, with bright registered mountings, the flue completely surrounding it, thus ensuring an uniform temperature, and at the same time heating the hot plate over it; a strong wrought-iron Boiler for supply of hot water, with draw of pipe and brass tap complete. Made 3 feet 6 inches to 6 feet wide and upwards. Spit Racks can be added if required.


Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

# ANY VARIETY OF OPEN FIRE RANGE MADE TO ORDER.

Plans, prices, estimates for Baths, and Hot Water Circulations, with testimonials of the superior utility and economy of Flavel Kitcheners, may be obtained at Messrs. Flavel & Co.'s. Works, Leamington, Warwickshire.

Note. - If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.





# BLACK

# MOUNTINGS.


Consisting of Wrought Iron Oven, fitted with Ventilators, moveable Shelf, Cast Iron Side Boiler, with brass Tap, Hot Plate for Boiling, Stewing, &c., (it is also an excellent Ironing Stove,) Ashes Pan, Register Door, Dampers, Fire Quarries, Hook, Key, and Raker, and fitted with Bright Mountings if required.

Made from 2-tt. 6-in. to 4-ft. 6-in. wide inclusive, or if oven and sham from 2-ft. wide.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Plans, prices, estimates for Baths, and Hot Water Circulations, with testimonials of the superior utility and economy of Flavel's Kitcheners, may be obtained at Messrs. Flavel & Co.'s Manufactory, Leamington, Warwickshire.






Consisting of a wrought-iron Oven fitted with moveable Sheaves, and ventulator and Valve, cast-iron Side Boiler, with brass Tap, Hot Plate for Boiling, Stewing, &c. (it is also an excellent Ironing Stove), Ashes Pan, Register Door, Dampers, Fire Quarries, Hook, Key, and Raker

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Plans, prices, estimates for Baths, and Hot Water Circulations, with testimonials of the superior utility and economy of Flavel's Kitcheners, may be obtained at Messes. Flavel & Co.'s Manufactory, Learnington, Warwickshire.

N.B.-THIS CAN BE HAD WITH BRIGHT MOUNTINGS EXTRA.






Consisting of a wrought-iron Oven fitted with moveable Shelves, and Ventilator and Valve, cast-iron Side Boiler, with brass tap, Hot Plate for Boiling Stewing, &c., cast-iron panelled Covings with Soot doors in ditto for cleaning flues, &c (it is also an excellent Ironing Stove), Plate Rack, and Brackets, Pans and Stand, Gridiron, Ashes Pan, Register Door, Dampers, Fire Quarries, Hook, Key, and Raker.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

l'lans, prices, estimates for Baths, and Hot Water Circulations with testimonials of the superior utility and economy of Flavel's Kitcheners, may be obtained at Messrs. Flavel & Co.'s Manufactory, Leamington, Warwickshire.

N.B.—THIS CAN BE HAD WITH BRIGHT MOUNTINGS EXTRA.





# BRIGHT MOUNTINGS.


This can be had with Coves and Plate Rack if required. If made without Boiler, Cock, and Pipes, £4 to £5 less, according to Size.

Consisting of a wrought-iron Roaster, fitted with ventilating tube and valve, moveable shelves, a wrought iron oven with valve and moveable shelves, Hot Plate, for boiling, frying, stewing, &c, without injuring or soiling the vessels in use; moveable panels over the fire, cast iron skirting at back and ends of hot plate, strong wrought iron boiler, with inlet and outlet pipes, waste steam pipe and brass tap, flat and false bottoms, fire quarries, ashes pan, register door, dampers, hook, key, and raker.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER

Note -If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order






IF MADE WITH COVES AND PLATE RACK, CONSTITUTES No. 41 B. SEE LIST. This can be had without Boiler, Cock, and Pipes, for £4 to £5 less, according to size.

Consisting of a strong wrought-iron Oven, fitted with two moveable shelves and valve, for pastry, bread, &c; a strong wrought-iron Roaster, fitted with air tube and valve for ventilation, moveable rack shelf forming a second meat stand whereby two or more joints can be roasted at the same time, double dripping pans and meat stand, moveable bracket table to support dripping pans when drawn out; improved registered spring latches; strong Hot Plate with loose panels extending over the whole apparatus for balling, &c., without injuring or soiling the vessels in use, round and square Gridirons of an improved kind; a strong wrought-iron Boi'er at back fitted with marked and cover, inlet, outlet, and waste steam pipes and brass cock; cast-iron Skirting over Hot Plate fitted with soot doors for cleaning the flues; Ashes Pan, Register Door, with rack, Dampers, Flue Rakers, Quarries for lining the fire, &c., complete.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Note.—If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.






Consisting of wrought-iron oven, fitted with ventilator (by opening which it is converted into a Roaster), moveable Shelves, double Dripping Pans, Meat Stand, and moveable Bracket Table; cast-iron Side Boiler, with brass Tap, Het Plate for boiling, frying, stewing, &c, without injuring or soiling the vessels in use; moveable panel over the fire, fitted with a Gridiron for broiling; cast-iron panelled Covings, fitted with soot doors for cleansing the flues; Plate Rack on brackets, Ashes Pan, flat and false bottoms, Fire Quarries, Register Door, Dampers, Hook, Key, and Raker.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Note.—Can be had with wrought-iron boiler if wished.






Consisting of a wrought iron Oven fitted with moveable Shelves, Ventilating Tube and Valve, and Bracket Table; cast iron Side Boiler, with brass Cock; Hot Plate, on which Boiling, Stewing, &c., may be done without injuring or soiling the vessels in use; panelled iron Skirting round the Hot Plate, fitted with Soot Doors, Gridiron, Ashes Pan, flat and false Bottoms, Register Door, Hook, Key, and Raker; Quarries for lining the fire.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.






Consisting of a wrought-iron Oven, fitted with ventilating tube and valve (by opening which it is converted into a Roaster), moveable shelves, double dripping-pans, meat stand, and moveable bracket table; cast-iron side Boiler, with brass tap and waste pipe; Hot Plate, for boiling, frying, stewing, &c, without injuring or soiling the vessels in use; moveable panel over the fire fitted with a gridiron; seven-inch Skirting fitted with soot doors for cleansing the flues; Ashes Pan, flat and false Bottoms, Fire Quarries, Register Door, Dampers, Hook, Key, and Raker.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

If with a wrought Boiler in lieu of cast, constitutes No. 2, see list.







Consisting of a wrought-iron Oven, fitted with ventilating tube and valve (by opening which it is converted into a Roaster), moveable shelves, double dripping pans, meat stand, and moveable bracket table; cast iron side Boiler, with brass tap and waste steam pipe; Hot Plate, for boiling, frying, stewing, &c., without injuring or soiling the vessels in use; moveable panel over the fire, fitted with a gridien for broiling; cast iron panelled Covings, fitted with soot doors for cleansing the flues; Plate Rack on hinges and swing brackets; Ashes Pan, flat and false bottoms, Fire Quarries, Register Door, Dampers, Hook, Key, and Raker

Mesors. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

If with a wrought Boiler in lieu of cast, constitutes No. 2A, see list.






Consisting of a strong wrought-iron Oven fitted with two moveable shelves and valve, for pastry, bread, &c.; a strong wrought-iron Roaster, fitted with air tube and valve for ventilation, moveable rack shelf forming a second meat stand, whereby two or more joints can be roasted at the same time, arched protecting shield at top of Roaster, double dripping pans and meat stand; moveable bracket table to support the dripping pans when drawn out; improved patented spring Latches; a strong framed Hot Plate, with loose panels, extending over the whole apparatus for boiling, &c, without injuring or soiling the vessels; round and square Gridirons of an improved kind; east-iron panelled Skirting fixted with soot doors for cleaning the flues, Ashes Pan, Register Door with Rack, all necessary Dampers, Flue Rakers, Quarries for lining the fire, &c., complete.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.





Consisting of a strong wrought-iron Oven, fitted with two moveable shelves and valve, for pastry, bread, &c.; a strong wrought-iron Roaster, fitted with air tube and valve for ventilation, moveable rack shelf forming a second meat stand whereby two or more joints can be reasted at the same time, arched protecting shield at top of Roaster, double dripping pans and meat stand, moveable bracket table to support dripping pans when drawn out; improved patent spring latches; strong framed Hot Plate with loose panels extending over the whole apparatus for boiling, &c., without injuring or soiling the vessels; round and square Gridirons of an improved kind; cast iron panelled covings lining the space over hot plate, fitted with soot doors for cleaning the flues; a neatly made wrought-iron rack on hinges and swing brackets, fitted to the covings for warming plates, dishes, &c., and Ashes Pan, Register Door, with rack, all necessary Dampers, Flue Rakers, Quarries for lining the fire, &c., complete.


Messis. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.



Ornamental Tiles (any pattern or colour) similar to above, fitted to Flavel's Kitcheners if required.

PRICES ON APPLICATION TO THE MANUFACTORY.






Consisting of a strong wrought-iron Oven, fitted with two moveable shelves and valve, for pastry, bread. &c.; a strong wrought-iron Roaster, fitted with air tube and valve for ventilation, moveable rack shelf forming a second meat stand whereby two or more joints can be roasted at the same time, arched protecting shield at top of Roaster, double dripping pans and meat stand, moveable bracket table to support dripping pans when drawn out; improved patent spring latches; strong framed Hot Plate with loose panels extending over the whole apparatus for boiling, &c., without injuring or soiling the vessels, round and square Gridirons of an improved kind; a strong wrought-iron Boiler at back fitted with manlid and cover, inlet, outlet, and waste steam pipes and brass cock; cast-iron Skirting over Hot Plate fitted with soot doors for cleaning the flues; Ashes Pan, Register Door, with rack, Dampers, Flue Rakers, Quarries for lining the fire, &c., complete.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Note.—If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.






Consisting of a wrought-iron Oven, fitted with moveable shelves and valve; a wrought-iron Roaster fitted with air tube and valve for ventilation, rack shelf, arched protecting shield, double dripping pans, meat stand, moveable bracket table to support dripping pans when drawn out; Hot Plate for boiling, frying, stewing, &c, without soiling or injuring the vessels in use; moveable Panels over the fire, fitted with round and square gridirons for broiling; an extra strong wrought-iron back Boiler for supplying hot water for kitchen purposes, fitted with manlid and cover, inlet and outlet pipes, waste steam pipe and brass draw off tap; iron panelled Covings (lining the space over the Hot Plate), wrought-iron Rack on hinges and swing brackets, for warming plates, &c.; Askes Pan, flat and false bottoms, Fire Quarries, Register Door, Dampers, Hook, Key, and Raker complete.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Note. If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.






Consisting of two wrought-iron Roasters fitted with air tubes and valves for ventilation, one moveable rack shelf forming a second meat stand, whereby two or more joints can be roasted at the same time in one roaster, arched protecting shield at top of Roaster, double dripping pans and meat stands; moveable bracket tables to support the dripping pans when drawn out; improved patented spring Latches; strong framed Hot Plate, with loose panels, extending over the whole apparatus for boiling, &c., without injuring or soiling the vessels; round and square Gridirons of an improved kind; a strong wrought "L" boiler, (placed behind the covings) to act in connection with a hot water cistern, by circulation for supplying Bath, Scullery, &c., inlet and outlet pipes to ditto, connecting pipe for draw off and brass cock, cast-iron panelled covings lining the space over hot plate, fitted with soot doors for cleaning the flues, a well made wrought-iron rack on hinges and swing brackets fitted to the covings for warming plates, dishes, &c. Two double-bodied block tin boilers and steamers with separate compartments for Joints, Vegetables and Sauces. Ashes Pan, Register Door with Rack, all necessary Dampers, Flue Rakers, Quarries for lining the fire, &c., complete.

Note.—The boiler is sent drilled and fitted with necessary inlet and outlet pipes and connecting pieces when required.

Messrs. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.






Consisting of a strong wrought iron Oven fitted with two moveable shelves and valve, for pastry, bread, &c.; a strong wrought-iron capacious Roaster, with double doors, ventilating tubes and valve, moveable rack shelf in centre, forming a second meat stand, whereby a double quantity of joints can be roasted at the same time, arched protecting moveable shield fitted at top of Roaster, double dripping pans and meat stand; moveable bracket table to support the dripping pans when drawn out; improved patented spring Latches; a strong 'ramed Hot Plate, with loose panels, extending over the whole apparatus for boiling, stewing, &c., without injuring or soiling the vessels in use; round and square Gridirons of an improved kind; an extra strong wrought-iron Boiler at back with projecting foot for rapid heating, admirably suited for generating steam to kettles and closet in an adjoining opening; inlet and outlet pipes, and brass draw off cock; cast-iron panelled Covings fitted with soot doors for cleaning the flues, wrought-iron rack on hinges and swing brackets fitted to the Covings for warming plates, dishes, &c.; Ashes Pan, Register Door with Rack, all necessary Dampers, Flue Rakers, Quarries for lining the fire part, &c.

Messrs, S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Note.—If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.






Consisting of a strong wrought-iron Roaster, fitted with ventilating tube and valve, moveable rack shelf, forming a second above the pans and meat stand, whereby two or more joints can be roasted at the same time, arched protecting shield at top of Roaster, double dripping pans and meat stand, moveable bracket table to support the pans when drawn out; a strong wrought-iron Oven with moveable shelves and valve, improved patented spring latches; strong grilling Stove with double moveable panels, sliding doors and gridiron with standard; also moveable panels over the fire, fitted with improved round and square gridirons; a strong framed Hot Plate with loose panels extending over the whole apparatus for boiling, &c., without injuring or soiling the vessels in use; strong wrought-iron Boiler fitted with inlet, outlet, and waste steam pipes and brass tap; seven inch cast-iron Skirting over Hot Plate, fitted with soot doors for cleansing the flues; Ashes Pan, Register Door, Dampers, Flue Rakers, Quarries for lining the fire, &c., complete.

Note.—If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.






Consisting of a wrought-iron Roaster fitted with ventilating tube and valve, moveable rack shelf forming a second meat stand, whereby two or more joints can be roasted at the same time, arched protecting shield at top of Roaster, double dripping pans and meat stand, bracket table in front to support the pans when drawn out; wrought-iron Oven fitted with valve and moveable shelves for pastry, bread, &c.; a wrought-iron Closet with shelves; a strong framed Hot Plate extending over the whole for boiling, stewing, &c., without injuring or soiling the vessels in use; moveable panels over the fire to receive round or square gridings; strong wrought-iron Boiler at back, with inlet, outlet, and waste steam pipe and brass cock; panelled iron Skirting fitted with soot doors for cleansing the flues round the Hot Plate; Ashes Pan, Register Door with Rack, Dampers. Flue Rakers, Quarries for lining the fire, &c., complete.

Messers. S. F. & Co. beg to say that no Kitcheners are genuine except such as are labelled FLAVEL'S PRIZE KITCHENER.

Note.—If the Boiler is required for circulation of Hot Water in connection with a Tank above, it must be distinctly mentioned on the order.






Consisting of a capacious wrought iron Reaster, fitted with double doors, air tubes, and valve for ventilation, moveable rack shelf forming a second meat stand, whereby two or more joints can be reasted at the same time, airhed protecting should at top of reaster, double dripping pans and meat stands, moveable bracket table to support dripping pans when drawn out, improved patented spring latches dee. A strong wrought iron oven, fitted with two moveable shelves and valve for pastry, bread, &c. A strong wrought iron Hot Cleset, with moveable states, and valve, a rong framed hot plate, with loose panels extending over the whole apparatus for boiling, &c, without injuring or soiling the vessels, roundered spring tons of an expressed kind. A strong wrought iron boiler at the back fitted with manlids, inlet, outlet, and waste stram paper and brass cook and a suppose of the space over hot plate, fitted with soot doors for cleaning out the flues, a well-made wrough iron rack on langues, and swang brack to the covings for warming plates, dishes, &c. Ashes pan, register door with rack, all necessary dampers, flue rakers, quarries for lining the fire, &c, complete.



## FLAVEL AND COMPANY.





KITCHENER, WITH SLIDING BLOWER, FORMING OPEN OR CLOSE FIRE.

THIS ARRANGEMENT CAN BE FITTED TO ANY OF FLAVEL'S KITCHENERS.

. A THE PARTY OF THE

## REVISED PRICE LIST

## FLAVEL'S PRIZE KITCHENER

MANUFACTURED AND SOLD BY

## SIDNEY FLAVEL AND CO.

LEAMINGTON, WARWICKSHIRE.

														-	
Ft. In	Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In.
2 6	2	9 3	0 3	3 3	6 3	9 4	0 4	3 4	6 4	9 5	0 5	3 5	6 5	9 6	0
COT	CAGER.	- 0		1 0			1	,							
	l. £ 8		s. d. £ s	. d.£ 8				- 0 4 -	. d.£ s.	. d.£ s.	d.£ s,	d.£ s.	d.£ s	. d. £ s.	d.
2 12 6				5 0 3	7 6 3 12			5 0 4 1	5 0		1				
No. O	4	$2 \ 6 \ 4$			2 6 5 13			5 0 7 1	7 6		ļ	- 1	. 100		
OB		7	2 6 7 1		5 0 8 17			5 0 10 1	7 6						
401	1	** *** ;	***	11 1		0 12 10	0  0   13  :	5 0 14 (	0 0 14 1	5 0 16 0	0			-	
41A				12 1	0  0   13  0	0 14 (	0 0   15	0 0 16 0	0 0 16 1	5  0   17  15	5 0				
4½B		3 4 = = =		15	0 0 15 10	0 16 10	0 17 1	0 0 18 10	0 - 0 20 - 0	0 + 0   21 + 0	) O Made wie	der if required.			-
1 O E	3	7	10 0 8	0 0 8 1	0 0 9 (	0 10 (	0 10 10	0 0 11 (	0  0  11  10	0 0 12 10	0				
1		6	0 0 6	5 0 6 1	5 0 7 8	0 8 (	0 8 1	5 0 9 10	0 0 10 (	0 011 0	0 0	- 11			
*la		7	10 0 8	0 0 8 1	0 0 9 (	0 10 (	0 10 10	0 0 11 (	0 0 11 10	0 0 12 10	0				1-11
*lB		8	15 0 9 1	0 0 10	$0 \ 0 \ 11 \ 0$	0   12  (	0   12   13	5 0 13 10	0 0 14 3	5 0 15 0	0				
*2				9	5 0 9 15	0 10 18	5 0 11 10	0 0 12	5 0 13 (	0 0 14 0	0			1 10	
*2A	***	,,,		10 1:	5 0 11 15	0 12 13	0 13 18	5 0 14 13	5 0 15 13	5 0 16 15	0 )				
3A			111	9 10	0 0 10 5	0 11 (	0 11 13	5 0 12 10	0 0 13 8	5 0 14 0	0 14 15	0 15 10	0 16	5 0 17 0	0
3в				12 10	0 0 13 5	0 14 (	0 14 18	5 0 16 (	0 17 10	0 18 10	0 19 10	0 20 10	0 21 10	0 0 22 10	0
4A				13	0 0 14 0	0 15 (	0 6 16 (	0 0 17	0 17 18	5 0 19 5	020 5	0 21 5	0 22	5 023 5	0
4B				15 10	0 0 16 10	0 17 10	0 18 10	0 19 10	0 21 (	0 22 10	0 24 0	0 25 10	0 26 10		0
4F						140 -44	***	25 (				0 31 0			0
												-107			
	1	Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In. Ft.	In.
		6	0 6	6 7	0 7	6 8	0 8	6 9	0 9	6 10	0 10	6 11	0 11	6 12	0
		0	a d f	3 8 5	2 C N	d £ 0	d & a	d £ a	d.£ s.	d.£ s.	4				
No La			s. d.£ s. 10 038			1		d. £ 8. 4b) £3 less in pri		d. £ s.	a.				11.0
No. 4C	4 4 4		0 026 1			0/00	) 0	( )							
5	***	25				000		Mada	l wider if required.						
6	* * *	25	0 0 26 1	$5  0 28 \ 10$		1	0 45 10		f						
6в	1 * *	*11 114	411/11	E 1 1 4 4	39 10	0 0 42 10	VIED II	)	1			1	- 1		

Any of the above can be made with Sliding Blower over fire to form Combined Open and Close Kitcheners, at a little extra to List Prices.

Handsome Cast-iron Chimney Pieces or Head Pieces fitted to any of the above if required.

\* Nos. 1a, 1b, 2, 2a, CAN BE HAD OF REDUCED METAL AT £1 OR £2 (according to size), LESS IN PRICE.

